

OWD NO. 1024-0018

EXP. 12/31/84

61-TA-3

United States Department of the Interior  
National Park Service

National Register of Historic Places  
Inventory—Nomination Form

See instructions in *How to Complete National Register Forms*  
Type all entries—complete applicable sections

For NPS use only
received
date entered

1. Name

historic Pottawatomie Creek Bridge

and/or common Pottawatomie Creek Bridge

2. Location

street & number 1/2 mile South of Osawatomie on FAS 1604 N/A not for publication

city, town Osawatomie X vicinity of ~~Congressional district~~

state Kansas code 20 county Miami code 121

3. Classification

Category	Ownership	Status	Present Use
<input type="checkbox"/> district	<input checked="" type="checkbox"/> public	<input checked="" type="checkbox"/> occupied	<input type="checkbox"/> agriculture
<input type="checkbox"/> building(s)	<input type="checkbox"/> private	<input type="checkbox"/> unoccupied	<input type="checkbox"/> commercial
<input checked="" type="checkbox"/> structure	<input type="checkbox"/> both	<input type="checkbox"/> work in progress	<input type="checkbox"/> educational
<input type="checkbox"/> site	<b>Public Acquisition</b>	<b>Accessible</b>	<input type="checkbox"/> entertainment
<input type="checkbox"/> object	<input type="checkbox"/> in process	<input type="checkbox"/> yes: restricted	<input type="checkbox"/> government
	<input type="checkbox"/> being considered	<input checked="" type="checkbox"/> yes: unrestricted	<input type="checkbox"/> industrial
	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/> no	<input checked="" type="checkbox"/> transportation
			<input type="checkbox"/> other:

4. Owner of Property

name Miami County

street & number Courthouse

city, town Paola N/A vicinity of state Kansas

5. Location of Legal Description

courthouse, registry of deeds, etc. Register of Deeds

street & number Miami County Courthouse

city, town Paola state Kansas

6. Representation in Existing Surveys

title Inventory of Marsh arch Bridges - Kansas Department of Transportation has this property been determined eligible?  yes  no

date 1980  federal  state  county  local

depository for survey records Kansas State Historical Society

city, town Topeka state Kansas

## 7. Description

<b>Condition</b>		<b>Check one</b>	<b>Check one</b>
<input type="checkbox"/> excellent	<input type="checkbox"/> deteriorated	<input type="checkbox"/> unaltered	<input checked="" type="checkbox"/> original site
<input checked="" type="checkbox"/> good	<input type="checkbox"/> ruins	<input checked="" type="checkbox"/> altered	<input type="checkbox"/> moved date _____
<input type="checkbox"/> fair	<input type="checkbox"/> unexposed		

### Describe the present and original (if known) physical appearance

The Pottawatomie Creek bridge is situated 1/2 mile south of Osawatomie, Kansas on FAS 1604. The 370 foot long structure is composed of a 120 foot "rainbow arch" (or Marsh arch), two 80 foot rainbow arches, and two 40 foot concrete deck approach spans. The two smaller arches show evidence of the removal of their overhead thru struts. Also, the roadway has been resurfaced periodically but this has not significantly compromised the bridge's integrity. Marsh's plans allowed for whatever filling material, between the bridge deck curbs, that locality might desire. Built at a total cost of \$49,000 this bridge contains 1500 yards of concrete and 313,000 pounds of steel.

The best description of the rainbow arch spans is contained in James Marsh's 1911 patent application. The bridge consists of ". . . two abutments (which could be piers), a pair of arches disposed between and springing from the abutments, the floor carried by and between the arches and reaching from one abutment to the other where it alines with the parapets or rails along opposite sides of the floor line." The original patents called for slideable wear plates to be moulded into the concrete where the bridge floor came into contact with the beams and abutments. This is of importance as one of the main benefits of this design was to allow for the expansion and contraction of the reinforced concrete bridge under varying conditions of temperature and moisture.

The Pottawatomie Creek bridge is 24 feet wide and 27 feet tall at its highest arch. The deepest pier rests on a bed of soft shale approximately 57 feet below grade. The low water level lies approximately 37.5 feet below grade. The structure required 218 days for its building and was reported by the Osawatomie Graphic on June 30, 1932 to have a capacity of 15 heavily loaded trucks, driving in opposite directions. The bridge was opened to traffic on June 24, 1932.

There were two basic rainbow arch designs, fixed and tied. The original patent application describes the fixed type in which case the arch flowed below the bridge deck and was "fixed" directly into the abutment. This massive abutment (or pier) resisted both the horizontal and the vertical thrust of the arch. In a tied design such as that of the Pottawatomie Creek bridge, the arch did not flow below the deck line and was not fixed directly into the abutment. It was secured atop the abutment or pier by the use of steel rocker or expansion rocker bearings. Vertical thrust was resisted by the pier and bearing, while horizontal thrust was resisted by the addition of a lower chord.

# 8. Significance

Period	Areas of Significance—Check and justify below			
<input type="checkbox"/> prehistoric	<input type="checkbox"/> archeology-prehistoric	<input type="checkbox"/> community planning	<input type="checkbox"/> landscape architecture	<input type="checkbox"/> religion
<input type="checkbox"/> 1400-1499	<input type="checkbox"/> archeology-historic	<input type="checkbox"/> conservation	<input type="checkbox"/> law	<input type="checkbox"/> science
<input type="checkbox"/> 1500-1599	<input type="checkbox"/> agriculture	<input type="checkbox"/> economics	<input type="checkbox"/> literature	<input type="checkbox"/> sculpture
<input type="checkbox"/> 1600-1699	<input type="checkbox"/> architecture	<input type="checkbox"/> education	<input type="checkbox"/> military	<input type="checkbox"/> social/ humanitarian
<input type="checkbox"/> 1700-1799	<input type="checkbox"/> art	<input checked="" type="checkbox"/> engineering	<input type="checkbox"/> music	<input type="checkbox"/> theater
<input type="checkbox"/> 1800-1899	<input type="checkbox"/> commerce	<input type="checkbox"/> exploration/settlement	<input type="checkbox"/> philosophy	<input checked="" type="checkbox"/> transportation
<input checked="" type="checkbox"/> 1900-	<input type="checkbox"/> communications	<input type="checkbox"/> industry	<input type="checkbox"/> politics/government	<input type="checkbox"/> other (specify)
		<input type="checkbox"/> invention		

Specific dates 1932

Builder/Architect James Barney Marsh, Engineer

### Statement of Significance (in one paragraph)

The Pottawatomie Creek "rainbow arch" (or "Marsh arch") bridge south of Osawatomie retains its integrity of location, design, setting, materials, feeling, and association. It is associated with the life of James B. Marsh, pioneer in steel and concrete bridge construction. It embodies the distinctive characteristics of a type and method of construction that is no longer being used and, as such, may yield information important to the history of engineering. Of the 72 known rainbow arch bridges in Kansas only 8 possess three arches.

James Barney Marsh was born in 1856 at North Lake, Wisconsin. He went to Iowa at the age of 18 to enter preparatory school at Fredericksburg. Marsh graduated in 1882 from Iowa State College of Agriculture and Mechanical Arts in Ames, with a B.M.E. degree. In March of 1883 he began his professional career in the Des Moines office of the King Bridge Company of Cleveland, Ohio. With King, Marsh was involved in the design, sales and actual erection of metal bridges. While he continued to work with the King company, he also became head of the Northern Agency for the Kansas City Bridge and Iron Company. In this capacity, he both designed and superintended the actual construction work done by the company. By March of 1889, Marsh had become general western agent and contracting engineer for the King Bridge Company and was placed in charge of the general western office in Des Moines. In the spring of 1896, he formed his own company, the Marsh Bridge Company, and was its sole proprietor. In private practice as a contracting engineer, Marsh was able to more fully develop his own designs. He also constructed the designs he developed, usually using steel as a medium. At the turn of the century, Marsh initiated the use of both concrete and steel in his bridge design. In April of 1904, the Marsh Bridge Company was incorporated with Marsh as president and chief engineer. In 1909, the company was reorganized as the Marsh Engineering Company.

It was not until the introduction of the "rainbow arch" by Marsh, that Kansas made widespread use of reinforced concrete spans for major stream crossings. Marsh canvassed the midwest, selling his arches in direct competition with the steel trusses at that time.

The Osawatomie Graphic reported on June 4, 1931 that the road bonds for No. 7 south had been sold to the Miami County banks and that work would soon begin on paving the road. This project included the building of a large bridge 1/2 mile south of town. The July 10, 1931 edition of the Ottawa Herald announced that 20 contractors entered bids for its construction. State Highway Commission engineers at division headquarters eventually awarded the contract to the J. S. Vance and Son Construction Company of Parsons, Kansas. On July 31, 1931 the Miami Republican predicted that the mile of roadwork including the bridge would cost over \$114,000 making it the most expensive mile of roadwork in the county. The bridge itself was to cost \$66,751.56. Of it the paper wrote, "This is the most costly and will be the most pretentious bridge in the county."

UNITED STATES DEPARTMENT OF THE INTERIOR  
NATIONAL PARK SERVICE

FOR NPS USE ONLY

RECEIVED

DATE ENTERED

NATIONAL REGISTER OF HISTORIC PLACES  
INVENTORY -- NOMINATION FORM

CONTINUATION SHEET

ITEM NUMBER 8 & 9 PAGE 1

Significance, Item 8

The Osawatomie Graphic-News wrote on June 9, 1932 that the Pottawatomie Creek Bridge was nearly completed. The approaches had been paved and the road would be open for traffic in a few days. The June 30, 1932 edition reported the June 24 grand opening of the new road and bridge complete with parade and balloon ascension. The parade began at 2:00 at Fourth street and ended at the bridge at 2:30 with speeches by Mr. Walker, assistant engineer, Mr. Pentleton, maintenance supervisor for the district's State Highway system, and Adjutant General Mclean, who represented the governor. General Mclean then cut the ribbon officially opening the bridge to traffic. The American Legion Juvenile band played and at 4:30 Mr. Hardie Dillinger made a successful balloon ascension and parachute jump landing just north of the Marais des Cygne.

Item 9

BIBLIOGRAPHY

- "Court House News," Osawatomie Graphic-News, May 14, 1931, p 8 c 4  
"County Seat News," Osawatomie Graphic-News, June 4, 1931 p 1 c 5  
"Cooperation Brings Results," Osawatomie Graphic-News, June 18, 1931 p 1 c 1  
"Cook Low Bidder on New K-33 Slab," Ottawa Herald, July 10, 1931 p 1 c 3  
"This Mile of Road is Very Expensive," Miami Republican, July 31, 1931 p 1 c 4  
"Court House News," Osawatomie Graphic-News, September 3, 1931 p 1 c 6  
"Items Gathered at Court House," Miami Republican, September 25, 1931, p 1 c 1  
"New Bridge Almost Completed," Osawatomie Graphic-News, June 9, 1932, p 1 c 1  
"Big Crowd Here for Road Opening Day," Osawatomie Graphic-News, June 30, 1932, p 1 c 1  
Nichols, C. D., Comp. Directory of Graduates of Division of Engineering,  
Iowa State College of Agriculture and Mechanical Arts, Ames, Iowa.  
The Alumnus of Iowa State. Alumni Association of Iowa State College, Ames.  
Volume XXXII, #1, July 1936  
Marsh, James B., Specification of Letters Patent Number 1,035,026,  
patented August 6, 1912, United States Patent Office, Washington, D.C.  
Plans and Files, Design Department, Kansas Department of Transportation,  
Topeka, Kansas Microfilm Roll #27, frame 517+

# 9. Major Bibliographical References

See Continuation Sheet, Item Number 9.

# 10. Geographical Data

Acreeage of nominated property .5

Quadrangle name Osawatomie

Quadrangle scale 1:24,000

UMT References

A 

1	5	3	2	9	8	8	0	4	2	6	1	2	6	0
Zone		Easting				Northing								

B 

Zone		Easting				Northing								

C 

Zone		Easting				Northing								

D 

Zone		Easting				Northing								

E 

Zone		Easting				Northing								

F 

Zone		Easting				Northing								

G 

Zone		Easting				Northing								

H 

Zone		Easting				Northing								

### Verbal boundary description and justification

The structure being nominated is 370 feet long and 24 feet wide. That property on and over which the bridge is built, 1/2 mile south of Osawatomie, Kansas, S14, T18S, R22E. Includes bridge superstructure plus supporting piers and abutments.

### List all states and counties for properties overlapping state or county boundaries

state	code	county	code
N/A			

# 11. Form Prepared By

name/title Larry Jochims, Research Historian and Michael Snell

organization Kansas State Historical Society date June 10, 1982

street & number 10th & Jackson Streets telephone (913) 296-2973

city or town Topeka state Kansas

# 12. State Historic Preservation Officer Certification

The evaluated significance of this property within the state is:

national  state  local

As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.

State Historic Preservation Officer signature \_\_\_\_\_

title \_\_\_\_\_ date \_\_\_\_\_

For NPS use only


I hereby certify that this property is included in the National Register

\_\_\_\_\_ date \_\_\_\_\_

Keeper of the National Register

Attest: \_\_\_\_\_ date \_\_\_\_\_

Chief of Registration



Pottawatomie Creek Bridge  
Osawatimie, Kansas  
UTM Reference  
15/329880/4261260

O S A W A T I M I E

POTTAWATOMIE

CREEK

MISSOURI - KANSAS - TEXAS  
Branch

13 Bangor

CYGNES

MARA

Osawatimie

Union Valley Sch.

FIELD

FIELD

Sanitary  
Disposal

BR 034

Bt 2

BR 4

BR 2

BR 1

BR 3

BR 5

BR 6

BR 7

BR 8

BR 9

BR 10

BR 11

BR 12

BR 13

BR 14

BR 15

BR 16

BR 17

BR 18

BR 19

BR 20

BR 21

BR 22

BR 23

BR 24

BR 25

BR 26

BR 27

BR 28

BR 29

BR 30

BR 31

BR 32

BR 33

BR 34

BR 35

BR 36

BR 37

BR 38

BR 39

BR 40

BR 41

BR 42

BR 43

BR 44

BR 45

BR 46

BR 47

BR 48

BR 49

BR 50

BR 51

BR 52

BR 53

BR 54

BR 55

BR 56

BR 57

BR 58

BR 59

BR 60

BR 61

BR 62

BR 63

BR 64

BR 65

BR 66

BR 67

BR 68

BR 69

BR 70

BR 71

BR 72

BR 73

BR 74

BR 75

BR 76

BR 77

BR 78

BR 79

BR 80

BR 81

BR 82

BR 83

BR 84

BR 85

BR 86

BR 87

BR 88

BR 89

BR 90

BR 91

BR 92

BR 93

BR 94

BR 95

BR 96

BR 97

BR 98

BR 99

BR 100

BR 101

BR 102

BR 103

BR 104

BR 105

BR 106

BR 107

BR 108

BR 109

BR 110

BR 111

BR 112

BR 113

BR 114

BR 115

BR 116

BR 117

BR 118

BR 119

BR 120

BR 121

BR 122

BR 123

BR 124

BR 125

BR 126

BR 127

BR 128

BR 129

BR 130

BR 131

BR 132

BR 133

BR 134

BR 135

BR 136

BR 137

BR 138

BR 139

BR 140

BR 141

BR 142

BR 143

BR 144

BR 145

BR 146

BR 147

BR 148

BR 149

BR 150

BR 151

BR 152

BR 153

BR 154

BR 155

BR 156

BR 157

BR 158

BR 159

BR 160

BR 161

BR 162

BR 163

BR 164

BR 165

BR 166

BR 167

BR 168

BR 169

BR 170

BR 171

BR 172

BR 173

BR 174

BR 175

BR 176

BR 177

BR 178

BR 179

BR 180

BR 181

BR 182

BR 183

BR 184

BR 185

BR 186

BR 187

BR 188

BR 189

BR 190

BR 191

BR 192

BR 193

BR 194

BR 195

BR 196

BR 197

BR 198

BR 199

BR 200

BR 201

BR 202

BR 203

BR 204

BR 205

BR 206

BR 207

BR 208

BR 209

BR 210

BR 211

BR 212

BR 213

BR 214

BR 215

BR 216

BR 217

BR 218

BR 219

BR 220

BR 221

BR 222

BR 223

BR 224

BR 225

BR 226

BR 227

BR 228

BR 229

BR 230

BR 231

BR 232

BR 233

BR 234

BR 235

BR 236

BR 237

BR 238

BR 239

BR 240

BR 241

BR 242

BR 243

BR 244

BR 245

BR 246

BR 247

BR 248

BR 249

BR 250

BR 251

BR 252

BR 253

BR 254

BR 255

BR 256

BR 257

BR 258

BR 259

BR 260

BR 261

BR 262

BR 263

BR 264

BR 265

BR 266

BR 267

BR 268

BR 269

BR 270

BR 271

BR 272

BR 273

BR 274

BR 275

BR 276

BR 277

BR 278

BR 279

BR 280

BR 281

BR 282

BR 283

BR 284

BR 285

BR 286

BR 287

BR 288

BR 289

BR 290


BR 291

BR 292

BR 293

BR 294

The following photographs were taken at Osawatomie, Kansas on March 16, 1982 by Larry Jochims and Michael Snell. Photograph negatives are located at the Kansas State Historical Society, Topeka, Kansas.



Pottawatomie Creek Bridge from original plans.



Pottawatomie Creek Bridge  
South approach looking north.



Pottawatomie Creek Bridge  
East side looking southwest.

Pottawatomie  
Creek Bridge  
West side  
looking southeast.



Pottawatomie  
Creek Bridge  
North approach  
looking south.

Pottawatomie  
Creek Bridge  
West side  
looking southeast.





Pottawatomie Creek Bridge  
East side looking southwest.

Pottawatomie Creek Bridge  
West arch indicating  
removal of thru strut.



Pottawatomie Creek Bridge  
West arch looking northwest.